U.S. Patent Application Serial No. 10/527,090

Amendment filed November 2, 2006

Reply to OA dated August 14, 2006

AMENDMENTS TO THE CLAIMS:

Please cancel claims 4, 10 and 22 without prejudice or disclaimer, and amend claims 1, 7,

11, 13, 19, 23, 25-26, 28-29, 31-33 and 34-35. This listing of claims will replace all prior versions,

and listings, of claims in the application:

Listing of Claims:

Claim 1 (Currently Amended): A transformant of Streptomyces mobaraensis, comprising

a structural gene of transglutaminase isolated from Streptomyces mobaraensis and a promoter and

a terminator acting on the structural gene, which are externally introduced,

wherein the structural gene comprises the sequence set forth in SEQ ID NO: 1.

Claim 2 (Previously Presented): The transformant of Streptomyces mobaraensis according

to claim 1, wherein the promoter is a promoter of transglutaminase isolated from Streptomyces

mobaraensis.

Claim 3 (Previously Presented): The transformant of Streptomyces mobaraensis according

to claim 1, wherein the terminator is a terminator of transglutaminase isolated from Streptomyces

mobaraensis.

Claim 4 (Canceled):

-3-

Amendment filed November 2, 2006

Reply to OA dated August 14, 2006

Claim 5 (Previously Presented): A transformant of Streptomyces mobaraensis comprising

a DNA fragment having an externally introduced sequence set forth in SEQ ID NO: 2.

Claim 6 (Previously Presented): The transformant of Streptomyces mobaraensis according

to claim 1, which is a transformant of Streptomyces mobaraensis S-8112.

Claim 7 (Currently Amended): A process for producing transglutaminase, comprising the

steps of:

٠.

culturing a transformant of Streptomyces mobaraensis comprising a structural gene of

transglutaminase isolated from Streptomyces mobaraensis and a promoter and a terminator acting

on the structural gene, which are externally introduced, under the conditions where the structural

gene can be expressed; and

collecting the produced transglutaminase,

wherein the structural gene comprises the sequence set forth in SEQ ID NO: 1.

Claim 8 (Previously Presented): The process for producing transglutaminase according to

claim 7, wherein the promoter is a promoter of transglutaminase isolated from Streptomyces

mobaraensis.

-4-

Reply to OA dated August 14, 2006

Claim 9 (Previously Presented): The process for producing transglutaminase according to

claim 7, wherein the terminator is a terminator of transglutaminase isolated from Streptomyces

mobaraensis.

⋰.

Claim 10 (Canceled).

Claim 11 (Currently Amended): The process for producing transglutaminase according to

claim 7, comprising the steps of:

culturing a transformant of Streptomyces mobaraensis comprising a structural gene of

transglutaminase isolated from Streptomyces mobaraensis and a promoter and a terminator acting

on the structural gene, which are externally introduced, under the conditions where the structural

gene can be expressed; and

collecting the produced transglutaminase,

wherein the transformant of Streptomyces mobaraensis comprises a DNA fragment having

an externally introduced sequence set forth in SEQ ID NO: 2.

Claim 12 (Previously Presented): The process for producing transglutaminase according to

claim 7, wherein the transformant of Streptomyces mobaraensis is a transformant of Streptomyces

mobaraensis S-8112.

-5-

Claim 13 (Currently Amended): A transformant of *Streptomyces lividans* comprising a structural gene of transglutaminase isolated from *Streptomyces mobaraensis*, and a promoter and a terminator acting on the structural gene, which are externally introduced, wherein the structural gene comprises the sequence set forth in SEQ ID NO: 1.

Claim 14 (Previously Presented): The transformant of *Streptomyces lividans* according to claim 13, wherein the promoter is a promoter of transglutaminase isolated from *Streptomyces mobaraensis*.

Claim 15 (Previously Presented): The transformant of *Streptomyces lividans* according to claim 13, wherein the terminator is a terminator of transglutaminase isolated from *Streptomyces mobaraensis*.

Claim 16 (Previously Presented): The transformant of *Streptomyces lividans* comprising a structural gene of transglutaminase and a promoter and a terminator acting on the structural gene, which are externally introduced, wherein the structural gene comprises a sequence set forth in SEQ ID NO: 1.

Claim 17 (Previously Presented): A transformant of *Streptomyces lividans* comprising a DNA fragment having an externally introduced sequence set forth in SEQ ID NO: 2.

Claim 18 (Previously Presented): The transformant of Streptomyces lividans according to

claim 13, which is a transformant of Streptomyces lividans 3131.

Claim 19 (Currently Amended): A process for producing transglutaminase, comprising the

steps of:

. .

culturing a transformant of Streptomyces lividans comprising a structural gene of

transglutaminase isolated from Streptomyces mobaraensis, and a promoter and a terminator acting

on the structural gene, which are externally introduced, under the conditions where the structural

gene can be expressed; and

collecting the produced transglutaminase, wherein the structural gene comprises the sequence

set forth in SEQ ID NO: 1.

Claim 20 (Previously Presented): The process for producing transglutaminase according to

claim 19, wherein the promoter is a promoter of transglutaminase isolated from Streptomyces

mobaraensis.

Claim 21 (Previously Presented): The process for producing transglutaminase according to

claim 19, wherein the terminator is a terminator of transglutaminase isolated from Streptomyces

mobaraensis.

-7-

U.S. Patent Application Serial No. 10/527,090 Amendment filed November 2, 2006 Reply to OA dated August 14, 2006

Claim 22 (Canceled).

:. '

Claim 23 (Currently amended): The process for producing transglutaminase according to claim 19 comprising the steps of:

culturing a transformant of *Streptomyces lividans* comprising a structural gene of transglutaminase isolated from *Streptomyces mobaraensis*, and a promoter and a terminator acting on the structural gene, which are externally introduced, under the conditions where the structural gene can be expressed; and

collecting the produced transglutaminase,

wherein the transformant of *Streptomyces lividans* comprises a DNA fragment having an externally introduced sequence set forth in SEQ ID NO: 2.

Claim 24 (Previously Presented): The process for producing transglutaminase according to claim 19, wherein the transformant of *Streptomyces lividans* is a transformant of *Streptomyces lividans* 3131.

Claim 25 (Currently Amended): A transformant of *Streptomyces mobaraensis* comprising a structural gene of transglutaminase and a promoter and a terminator acting on the structural gene, which are externally introduced,

• •

Reply to OA dated August 14, 2006

wherein the structural gene comprises a sequence obtained by modifying SEQ ID NO: 1, such

that the modified sequence hybridizes to DNA of SEQ ID NO: 1 under conditions of 50%

formaldehyde formamide, 10 × SSC, 5 × Denhardt solution, 1%SDS, 10% dextran sulfate, 10 µg/ml

denatured salmon sperm DNA and 50 mM phosphoric acid buffer (pH 7.5) at 42°C, followed by

washing with 0.1 × SSC and 0.1%SDS at 68°C, and the modified sequence encodes a protein having

transglutaminase activity.

Claim 26 (Currently Amended): A transformant of Streptomyces mobaraensis comprising

a structural gene of transglutaminase and a promoter and a terminator acting on the structural gene,

which are externally introduced,

wherein the structural gene of transglutaminase and the promoter and the terminator acting

on the structural gene comprise a sequence obtained by modifying SEQ ID NO: 2, such that the

modified sequence hybridizes to DNA of SEQ ID NO: 2 under conditions of 50% formaldehyde

formamide, 10 × SSC, 5 × Denhardt solution, 1%SDS, 10% dextran sulfate, 10 μg/ml denatured

salmon sperm DNA and 50 mM phosphoric acid buffer (pH 7.5) at 42°C, followed by washing with

0.1 × SSC and 0.1% SDS at 68°C, and the modified sequence encodes a protein having

transglutaminase activity.

-9-

Claim 27 (Previously Presented): The transformant of Streptomyces mobaraensis according

to claim 1, which is a transformant of a strain obtained by mutating Streptomyces mobaraensis S-

8112.

· · · ·

Claim 28 (Currently Amended): A process for producing transglutaminase, comprising the

steps of:

culturing a transformant of Streptomyces mobaraensis comprising a structural gene of

transglutaminase and a promoter and a terminator acting on the structural gene, which are externally

introduced, under the conditions where the structural gene can be expressed; and

collecting the produced transglutaminase;

wherein the structural gene comprises a sequence obtained by modifying SEQ ID NO: 1, such

that the modified sequence hybridizes to DNA of SEQ ID NO: 1 under conditions of 50%

formaldehyde formamide, 10 × SSC, 5 × Denhardt solution, 1% SDS, 10% dextran sulfate, 10 µg/ml

denatured salmon sperm DNA and 50 mM phosphoric acid buffer (pH 7.5) at 42°C, followed by

washing with 0.1 × SSC and 0.1% SDS at 68°C, and the modified sequence encodes a protein

having transglutaminase activity.

Claim 29 (Currently Amended): A process for producing transglutaminase, comprising the

steps of:

-10-

Reply to OA dated August 14, 2006

••

culturing a transformant of Streptomyces mobaraensis comprising a structural gene of

transglutaminase and a promoter and a terminator acting on the structural gene, which are externally

introduced, under the conditions where the structural gene can be expressed; and

collecting the produced transglutaminase;

wherein the structural gene of transglutaminase and the promoter and the terminator acting

on the structural gene comprise a sequence obtained by modifying SEQ ID NO: 2, such that the

modified sequence hybridizes to DNA of SEQ ID NO: 2 under conditions of 50% formaldehyde

formamide, 10 × SSC, 5 × Denhardt solution, 1% SDS, 10% dextran sulfate, 10 μg/ml denatured

salmon sperm DNA and 50 mM phosphoric acid buffer (pH 7.5) at 42 °C, followed by washing with

0.1 × SSC and 0.1% SDS at 68°C, and the modified sequence encodes a protein having

transglutaminase activity.

Claim 30 (Previously Presented): The process for producing transglutaminase according to

claim 7, wherein the transformant of Streptomyces mobaraensis is a transformant of a strain obtained

by mutating *Streptomyces mobaraensis* S-8112.

Claim 31(Currently Amended): A transformant of Streptomyces lividans comprising a

structural gene of transglutaminase and a promoter and a terminator acting on the structural gene,

which are externally introduced,

-11-

having transglutaminase activity.

wherein the structural gene comprises a sequence obtained by modifying SEQ ID NO: 1, such that the modified sequence hybridizes to DNA of SEQ ID NO: 1 under conditions of 50% formaldehyde formamide, $10 \times SSC$, $5 \times Denhardt$ solution, 1% SDS, 10% dextran sulfate, $10 \mu g/ml$ denatured salmon sperm DNA and 50 mM phosphoric acid buffer (pH 7.5) at 42°C, followed by washing with $0.1 \times SSC$ and 0.1% SDS at 68°C, and the modified sequence encodes a protein

Claim 32 (Currently Amended): A transformant of *Streptomyces lividans* comprising a structural gene of transglutaminase and a promoter and a terminator acting on the structural gene, which are externally introduced,

wherein the structural gene of transglutaminase and the promoter and the terminator acting on the structural gene comprise a sequence obtained by modifying SEQ ID NO: 2, such that the modified sequence hybridizes to DNA of SEQ ID NO: 2 under conditions of 50% formaldehyde formamide, 10 × SSC, 5 × Denhardt solution, 1% SDS, 10% dextran sulfate, 10 μg/ml denatured salmon sperm DNA and 50 mM phosphoric acid buffer (pH 7.5) at 42 °C, followed by washing with 0.1 × SSC and 0.1% SDS at 68 °C, and the modified sequence encodes a protein having transglutaminase activity.

Claim 33 (Previously Presented): The transformant of *Streptomyces lividans* according to claim 13, which is a transformant of a strain obtained by mutating *Streptomyces lividans* 3131.

· · · ·

Claim 34 (Currently Amended): A process for producing transglutaminase, comprising the steps of:

culturing a transformant of *Streptomyces lividans* comprising a structural gene of transglutaminase and a promoter and a terminator acting on the structural gene, which are externally introduced, under the conditions where the structural gene can be expressed; and

collecting the produced transglutaminase;

wherein the structural gene comprises a sequence obtained by modifying SEQ ID NO: 1, such that the modified sequence hybridizes to DNA of SEQ ID NO: 1 under conditions of 50% formaldehyde formamide, 10 × SSC, 5 × Denhardt solution, 1% SDS, 10% dextran sulfate, 10 µg/ml denatured salmon sperm DNA and 50 mM phosphoric acid buffer (pH 7.5) at 42°C, followed by washing with 0.1 × SSC and 0.1% SDS at 68°C, and the modified sequence encodes a protein having transglutaminase activity.

Claim 35 (Currently Amended): A process for producing transglutaminase, comprising the steps of:

culturing a transformant of *Streptomyces lividans* comprising a structural gene of transglutaminase and a promoter and a terminator acting on the structural gene, which are externally introduced, under the conditions where the structural gene can be expressed; and

collecting the produced transglutaminase;

Reply to OA dated August 14, 2006

wherein the structural gene of transglutaminase and the promoter and the terminator acting

on the structural gene comprise a sequence obtained by modifying SEQ ID NO: 2, such that the

modified sequence hybridizes to DNA of SEQ ID NO: 2 under conditions of 50% formaldehyde

formamide, 10 × SSC, 5 × Denhardt solution, 1% SDS, 10% dextran sulfate, 10 µg/ml denatured

salmon sperm DNA and 50 mM phosphoric acid buffer (pH 7.5) at 42°C, followed by washing with

0.1 × SSC and 0.1% SDS at 68°C, and the modified sequence encodes a protein having

transglutaminase activity.

Claim 36 (Previously Presented): The process for producing transglutaminase according to

claim 19, wherein the transformant of Streptomyces lividans is a transformant of a strain obtained

by mutating Streptomyces lividans 3131.

-14-